

Safety Data Sheet

SECTION I - IDENTIFICATION



IronTite Products, Inc.
2525 18th St. SW, Suite D
Cedar Rapids, Iowa 52404

(800)553-5953 - (310)337-9421

Product Number	VCOOL7335C, 468-9920-08, 468-9920-64 & 468-9926-40	
Product Name	Viscool 7335 C, Tap-O	
Chemical Family	Coolant	Rock Valley Oil & Chemical
CAS Number	Multiple	1911 Windsor Road
Date Prepared	1/22/2016	Rockford, IL 61111
Revision Number	5/20/2022	(815) 654-2400
Recommended Use	Industrial Use Only	(800)535-5053 Outside US: :..... (352) 323-3500

SECTION II - HAZARDOUS IDENTIFICATION

GHS CLASSIFICATION:

Classification

Not a Hazardous Substance or Mixture

No Hazards

GHS LABEL:

Hazard Statements

NC Not a Hazardous Substance or Mixture

Safety Data Sheet

Viscool 7335 C

Precautionary Statements

NC Not a Hazardous Substance or Mixture

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Surfactant	9003-11-6	1 - 5	Not Established	Not Established
Caprylic Acid	124-07-2	5- 15	Not Established	Not Established
Corrosion Inhibitor	131640-43-2	5 - 15	Not Established	Not Established

SECTION IV - FIRST AID MEASURES

Contact with eyes: Flush with water for 15 minutes. Seek immediate medical attention.

Skin contact: Wash exposed areas with water and mild soap. Remove contaminated clothing and launder before reuse. If irritations persist, seek immediate medical attention.

Inhalation: Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is affected or stopped. Seek immediate medical attention.

Ingestion: Induce vomiting.

SECTION V - FIREFIGHTING MEASURES

Suitable Extinguishing Media: Water fog, foam, CO2, dry chemical.

Special Fire Fighting Procedures Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water used for cooling.

Unusual Fire Fighting Hazards: Material will not burn until all water content has evolved.

Safety Data Sheet

Viscool 7335 C

SECTION VI - ACCIDENTAL RELEASE MEASURES

Personal Precautions: Evacuate all unprotected personnel from the area.

Environmental Precautions: Prevent liquid from entering drains, sewers or waterways.
Contain spill if it can be done with minimal risk.
Notify proper authorities.

Methods for Cleaning Up: Collect spill on absorbent material and put into approved container.

SECTION VII - HANDLING AND STORAGE

Handling and Storage: • Do not redistribute empty containers.

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

EXPOSURE LIMITS:

Component Name	CAS #	OSHA PEL	ACGIH TLV
Surfactant	9003-11-6	Not Established	Not Established
Caprylic Acid	124-07-2	Not Established	Not Established
Corrosion Inhibitor	131640-43-2	Not Established	Not Established

Engineering Controls: Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV.

Monitoring: Wash hands prior to eating, drinking or using the restroom.

Personal Protective Equipment (PPE)

Eye Protection: Goggles or approved OSHA device with side shields; do not wear contact lenses when handling this product.

Skin Protection: Impervious apron and work boots recommend where splashing may occur.

Respiratory Protection: Use the proper respirator in areas where the chemical exposure is above the OSHA PEL or ACGIH TLV.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Safety Data Sheet

Viscool 7335 C

Appearance	Light Straw Liquid
Odor	Mild Ammoniacal
pH@25°C	8.82 @ 5%
Melting/Freezing Point	N/A
Flashpoint	N/A
Specific Gravity	1.059
Solubility	Miscible
Auto-Ignition Temperature	N/A
Decomposition Temperature	N/A
VOC Content	< 0.5 #/Gallon
Odor Threshold	-
Boiling Range	>212°F
Evaporation Point	Not Established
Flammable Limits - Upper	N/A
Flammable Limits - Lower	N/A
Vapor Pressure	N/AV
Vapor Density (Air=1)	>1
Viscosity	N/Av

SECTION X - STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: None

Hazardous Decomposition/Byproducts: None known

Hazardous Polymerization: Will not occur.

Polymerization Conditions to Avoid: None

Incompatibilities: None known

Safety Data Sheet

Viscool 7335 C

SECTION XI - TOXICOLOGICAL INFORMATION

Likely Route of Exposure: Contact and inhalation; ingestion possible.

Inhalation: Low to moderate degree of toxicity by inhalation.

Eye Contact: May cause eye irritation including stinging, watering and redness which may result in corneal injury.

Skin Contact: Contact may cause mild skin irritation including redness, burning and drying/cracking of the skin.

Ingestion: Aspiration hazard. Can enter the lungs during swallowing or vomiting and cause chemical pneumonia and edema.

Toxicity:

Component Name	LD50	LC50
Surfactant	Not Established	Not Established
Caprylic Acid	Oral - rat - 1,080 mg/kg; Dermal - rabbit - 5,000 mg/kg	Not Established
Corrosion Inhibitor	Not Established	Not Established

Reproductive Effects	Teratogenicity	Mutagenicity	Embryotoxicity	Sensitization to Product	Synergistic Products
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity: Information not available.

Mobility: Information not available.

Degradability: Information not available.

BioAccumulation: Information not available.

SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, state, and local regulations.

Safety Data Sheet

Viscool 7335 C

SECTION XIV - TRANSPORT INFORMATION

DOT SHIPPING INFORMATION

Proper Shipping Name: Not Regulated

Contains:

Hazard Class and Label:

Identification Number:

Packaging Group:

Other Shipping Info:

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:..... The components of this product are listed on the TSCA Inventory

SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
N/A	N/A	N/A	N/A	N/A

SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

No chemicals in this material are subject to the reporting requirements.

CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

CALIFORNIA PROPOSITION 65:

No chemicals in this material are subject to the reporting requirements.

SECTION XVI - OTHER INFORMATION

HMIS Health: 1

HMIS Flammability: 0

HMIS Reactivity: 0

Additional: